


PROPOSED LOWER LEVEL MARKET PLAN

- 01. Each level within the new circulation extension will accommodate a small storage room
- 02. The new extension will accommodate a goods and passenger lift providing access to all levels.
- 03. Stair to upper levels.
- 04. Lower level will accommodate a disabled W.C
- 05. New drainage indicated with dot dashed lines, will link into existing system.
- 06. Two new wall openings are required in the north wall of the market to provide access. The new openings will be formed with concealed structural steels and dressed with stone to match existing openings.
- 07. The stone (Grey carboniferous limestone) staircase in the south east corner of the Market has received numerous complaints from visitors and is considered to be unsafe.
Three factors contribute to this: firstly the narrow winders secondly the lack of a handrail and thirdly the worn treads.
A steel handrail is proposed on the left hand side ascending. This will be drilled and resin bonded into the solid treads following the profile of the stairs. A similar rail has been installed on the main Guildhall staircase. Secondly it is proposed that the nosings of the treads are treated with a coloured epoxy based anti slip paint.
- 08. College Row doors
Single set of access doors will remain as existing. Set within new trader stall will be sealed shut.
It is proposed that the lower set of doors be relocated to provide a landing at the top of the 3 existing steps.
- 09. A meeting room and 2 toilet cubicles are to be incorporated into the south east corner of the lower Market. This area is currently occupied by a traders toilet.
- 10. It is proposed that the trader spaces are defined by minimal freestanding timber framed stalls. The treatment/decoration of each stall will be left to the individual trader.
- 11. It is proposed that the existing slab is taken up and re-laid as a concrete slab on insulation. The new slab will incorporate a permeable granular layer draining to an accessible sump. The new floor slab will be paved in Marshall's Conservation Grade paving slabs.
- 12. The existing internal roof drainage runs (known to be cracked) will be re-laid in U.P.V.C. cased in concrete and incorporating sealed access chambers.
- 13. It is proposed that the North and East lower level walls are lined internally with Newton Lath, lime plastered. The lining will extend up to the spring point of the vaults. Any water issuing will be drained to a sump and connecting into the existing rainwater drainage system in College Row.
- 14. A new internal drain will run along the base of the internal North and East walls and drain to the existing system.
- 15. Steel railings with lockable gates to close off lift/stairs area when building is not in use.



H	Minor amendments	24/10/2019
G	Circulation block rotated	29/08/2019
F	Pavement altered, door minimise	20/08/2019
E	Doors & pavement amended	24/6/19
D	Right of way amended	13/6/19
C	Neighbouring right of way amended	29/5/19 removed
B	Trader stall layout revised	2/1/19
A	College Row Access Doors Revise	18/12/18

Rev	Description	Date	Initial
-----	-------------	------	---------

Energy Consultant:	-
Structural Engineer:	-
M & E Consultant:	-
Quantity Surveyor:	-

WATERMAN'S LANE
THE GREEN
PEMBROKE
PEMBROKESHIRE
WALES
SA71 4NU
 TEL: (01646) 685472
 FAX: (01646) 621220
 architects@acanthus-holden.co.uk
 www.acanthus.co.uk/holden



architects planners
penseiri cymllunwyr

Client: Cardigan Building Preservation Trust

Project: GUILDHALL MARKET

Drawing Title: LOWER GROUND FLR PLAN

Scale: - Sheet Size: **A1** Issue Status: **PLANNING**

Job No: **A2014A** Drawing No: **P100** Rev: **H**

Original: **JP** Date: **SEPT 2018** Checked: Approved:

NOTE: THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL RELATED DRAWINGS, SCHEDULES AND/OR SPECIFICATIONS. ALL DIMENSIONS TO BE CHECKED ON SITE. ANY DISCREPANCIES TO BE REPORTED IMMEDIATELY.
 Copyright Acanthus Holden Architects (Note: prints of drawing not to true scale)