


PROPOSED NORTH ELEVATION

01. The existing patent glazing at the Apex of the pitched roofs is in very poor condition. Much of the Georgian wired glazing is cracked and the drainage channels are blocked. It is proposed that this is renewed in double glazed sections using aluminum framing. No additional strengthening of the roof structure is considered necessary.

02. It is proposed that the glazed lantern is renewed utilizing double glazing and top hung vents, heat and smoke controlled.

03. North and East elevations to new circulation extension to be painted render.

04. Vertical zinc panels to return around corner of building.



PROPOSED NORTH ELEVATION

Rev	Description	Date	Initial
D	Cladding amended	24/10/2019	
C	Toilet moved to rear	29/08/19	
B	Minor amendments	24/6/19	
A	Escape stairs moved	14/6/19	

Energy Consultant:	-
Structural Engineer:	-
M & E Consultant:	-
Quantity Surveyor:	-

<p>WATERMAN'S LANE THE GREEN PEMBROKE PEMBROKESHIRE WALES SA71 4NU</p> <p>TEL (01646) 685472 FAX (01646) 621220</p> <p>architects@acanthus-holden.co.uk www.acanthus.co.uk/holden</p>	 <p>architects planners penseiri cymllunwyr</p>
---	--

Client: **Cardigan Building Preservation Trust**

Project: **GUILDHALL MARKET**

Drawing Title: **PROPOSED NORTH ELEVATION**

Scale: - Sheet Size: **A1** Issue Status: **PLANNING**

Job No: **A2014A** Drawing No: **P202** Rev: **D**

Original: **JP** Date: **SEPT 2018** Checked: Approved:

NOTE: THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL RELATED DRAWINGS, SCHEDULES AND/OR SPECIFICATIONS. ALL DIMENSIONS TO BE CHECKED ON SITE. ANY DISCREPANCIES TO BE REPORTED IMMEDIATELY.
Copyright Acanthus Holden Architects (Note: prints of drawing not to true scale)